

**Table 23: Percentage of under-five children with diarrhea in the last two weeks and treatment with ORS or ORT, Country, Year**

	Had diarrhea in last two weeks	Number of children under 5	Children with diarrhea who received:					Number of children with diarrhea
			Breast milk	Gruel	ORS packet	Any recommended treatment	No treatment	
Male	13.5	970	21.2	30.4	34.0	61.3	38.7	131
Female	14.3	860	28.8	23.7	33.2	60.6	39.4	123
Central	12.1	663	23.4	36.4	33.8	61.0	39.0	81
South Central	12.1	370	15.6	26.5	31.3	58.0	42.0	45
West	8.3	270	*	*	*	*	*	22
East	13.2	219	26.7	40.0	16.7	60.0	40.0	29
South	25.2	309	29.6	13.6	45.7	65.4	34.6	78
Urban	11.6	896	21.2	33.3	34.3	61.6	38.4	104
Rural	16.1	934	27.4	22.9	33.1	60.5	39.5	151
< 6 months	14.1	215	58.2	32.4	22.9	74.5	25.5	30
6-11 months	23.4	158	53.6	54.3	37.7	91.7	8.3	37
12-23 months	19.2	366	25.6	33.1	39.6	66.8	33.2	70
24-35 months	12.7	422	9.3	14.8	29.4	46.1	53.9	54
36-47 months	9.8	345	5.7	20.6	23.5	40.7	59.3	34
48-59 months	9.1	321	3.3	3.6	44.9	44.9	55.1	29
Mother's education								
None	22.8	238	28.7	16.0	37.3	56.9	43.1	54
Primary	17.4	496	28.1	25.2	40.0	67.1	32.9	86
Secondary +	10.4	1096	20.6	34.0	27.0	58.3	41.7	114
Total	13.9	1830	24.9	27.2	33.6	61.0	39.0	254