# MALARIA MODULE FOR HOUSEHOLD SURVEYS

# I. INTRODUCTION

Malaria remains a major public health problem and still is one of the most important diseases in developing countries, causing significant morbidity, mortality, and economic loss. Children under age 5 and pregnant women are disproportionately affected. Hospital records in developing countries suggest that malaria is responsible for a substantial proportion of outpatient visits, admissions, and of inpatient deaths.

Several governments implement strategic plans for malaria control which usually include prevention and control strategies such as:

- Use of long-lasting insecticidal nets (LLINs)
- Indoor residual spraying (IRS)
- Environmental management (where feasible and effective)
- Uncomplicated malaria case management with Artemisinin-based combination therapy (ACT) at the community level and in health units (with emphasis on improved diagnosis and management of severe malaria)
- Treatment and prevention of malaria during pregnancy, including intermittent preventive treatment (IPT)
- Early detection and response to malaria epidemics

Given the resurgence of interest in malaria as a disease of major public health importance, the Roll Back Malaria (RBM) partnership was launched in 1998 in order to coordinate the efforts of the international community. A Global Malaria Action Plan (GMAP) was established in 2008 by the World Health Organization and the Roll Back Malaria Partnership. The GMAP goals, objectives and targets were updated in June 2011. The targets were expected to be met by achieving and sustaining universal access to and utilization of preventive measures including vector control; achieving universal access to diagnostic testing and treatment in the public and private sectors and in the community (including appropriate referral); and accelerating the development of surveillance systems.

In order to collect nationally representative information on malaria-specific indicators, the Monitoring and Evaluation Working Group (MERG) of Roll Back Malaria developed the Malaria Indicator Survey (MIS), a stand-alone household survey for the collection of data from a representative sample of respondents. A MIS measures indicators related to the Millennium Development Goals (MDG), the President's Malaria Initiative (PMI) targets, and the Global Malaria Action Plan (GMAP). The key objectives of a MIS are:

- Assess the coverage and timing of indoor residual spraying (IRS)
- Assess household ownership of insecticide-treated and other types of bednets, as well as their use by children under five years and pregnant women
- Estimate the prevalence of fever, anemia, malaria (and the type and timing of treatment) among children under five years, women of reproductive age, and pregnant women
- Assess the use of intermittent preventive treatment (IPT) for malaria among pregnant women.
- Measurement of malaria parasites and anemia (a common result or malaria) among household members most at risk: children under five years and pregnant women.

The list of indicators that can be calculated from a Multiple Indicator Survey (MIS) are listed in Section II. The 16 indicators for assessing progress towards the Global Malaria Action Plan (GMAP) are listed in Section III.

# II. INDICATORS FOR MALARIA CONTROL<sup>1</sup>

The list of indicators for assessing progress towards the Global Malaria Action Plan (GMAP) targets is the most comprehensive one and it includes the 16 survey indicators listed next under two main categories: outcome indicators (prevention and case management) and impact measure indicators (morbidity and mortality.

#### **Outcome Indicators: Prevention**

- 1. Percentage of Households with at Least One ITN (Insecticide-Treated Net) Numerator: Number of households surveyed with at least one ITN Denominator: Total number of households surveyed
- 2. Percentage of Households with at Least One ITN for Every Two People (NEW) Numerator: Number of households with at least one ITN for every two people Denominator: Total number of households surveyed
- 3. Percentage of Population with Access to an ITN within their Household (NEW) Numerator: Total number of individuals who could sleep under an ITN if each ITN in the household is used by two people Denominator: Total number of individuals who spent the previous night in surveyed households
- 4. Percentage of Population that Slept under an ITN the Previous Night Numerator: Number of individuals who slept under an ITN the previous night Denominator: Total number of individuals who spent the previous night in surveyed households
- 5. Percentage of Children under Five Years Old Who Slept under an ITN the Previous Night

Numerator: Number of children under five years old who slept under an ITN the previous night Denominator: Total number of children under five years old who spent the previous night in surveyed households

6. Percentage of Pregnant Women Who Slept under an ITN the Previous Night

Numerator: Number of pregnant women who slept under an ITN the previous night Denominator: Total number of pregnant women within surveyed households

- 7. Percentage of Existing ITNs Used the Previous Night Numerator: Number of ITNs in surveyed households that were used by anyone the previous night Denominator: Total number of ITNs in surveyed households
- 8. Percentage of Households with at Least one ITN and/or Sprayed by IRS in the Last 12 Months (Households Covered by Vector Control) Numerator: Number of households that have at least one ITN and/or have been sprayed by IRS in the last 12 months Denominator: Total number of households surveyed

<sup>&</sup>lt;sup>1</sup>Adapted from: MEASURE Evaluation, MEASURE DHS, President's Malaria Initiative, Roll Back Malaria Partnership, UNICEF, World Health Organization. *Household Survey Indicators for Malaria Control.* June 2013

# 9. Percentage of Households with at Least One ITN for Every Two People and/or Sprayed by IRS within the Last 12 Months (Universal Coverage of Vector Control)

Numerator: Number of households with at least one ITN for every two people and/or have been sprayed by IRS in the last 12 months

Denominator: Total number of households surveyed

#### Additional indicator (IRS National-level Indicator)

Percentage of Households that Received Spraying through an IRS Campaign within the Last 12 Months

*Numerator*: Number of households that were sprayed with a residual insecticide during an IRS campaign in the last 12 months

Denominator: Total number of households surveyed

#### **10.** Percentage of Women Who Received Three or More Doses of Intermittent Preventive Treatment during ANC Visits during Their Last Pregnancy

Numerator: Number of women who received three or more doses of a recommended prophylactic antimalarial drug treatment, at least one of which was received during an ANC visit, to prevent malaria during their last pregnancy that led to a live birth within the last two years

Denominator: Total number of women surveyed who delivered a live baby within the last two years

# Additional indicator: Percentage of women who received at least one, two, or four doses of a recommended prophylactic antimalarial drug treatment, at least one of which was received during an ANC visit, to prevent malaria during their last pregnancy that led to a live birth within the last two years

*Numerator*: Number of women who received at least one, two, or four doses of a recommended prophylactic antimalarial drug treatment, at least one of which was received during an ANC visit, to prevent malaria during their last pregnancy that led to a live birth within the last two years *Denominator*: Total number of women surveyed who delivered a live baby within the last two years.

#### **Outcome Indicators: Case Management**

#### 11. Percentage of Children under Five Years Old with Fever in Last Two Weeks Who Had a Finger or Heel Stick

*Numerator*: Number of children under five years old with fever in the previous two weeks who had a finger/heel stick

Denominator: Total number of children under five years old who had a fever in the previous two weeks

#### 12. Percentage of Children under Five Years Old with Fever in the Last Two Weeks for Whom Advice or Treatment Was Sought

*Numerator*: Number of children under five years old who had a fever in the previous two weeks for whom advice or treatment was sought

Denominator: Total number of children under five years old who had a fever in the previous two weeks

# 13. Percentage Receiving an ACT (or Other Appropriate Treatment), among Children under Five Years Old with Fever in the Last Two Weeks Who Received Any Antimalarial Drugs

Numerator: Number of children under five years old who had a fever in the previous two weeks who received an ACT (or other appropriate treatment according to national policy) *Denominator*: Total number of children under five years old who had a fever in the previous two weeks who received any antimalarial drugs

#### Impact Measure Indicators: Morbidity

# 14. Percentage of Children Aged 6-59 Months with Malaria Infection (Parasite Prevalence)

*Numerator*: Number of children aged 6-59 months with malaria infection detected by rapid diagnostic test or microscopy

Denominator: Total number of children aged 6-59 months tested for malaria parasites by rapid diagnostic test or microscopy

# 15. Percentage of Children Aged 6-59 Months with a Hemoglobin Measurement of <8 g/dL (Prevalence of Malaria-related Anemia)

Numerator: Number of children aged 6-59 months with a hemoglobin measurement of <8 g/dL Denominator: Total number of children aged 6-59 months who had hemoglobin measurements obtained during household survey

#### Impact Measure Indicators: Mortality

#### 16. All-Cause Under-Five Mortality Rate

The under-five mortality rate (U5MR) can be derived from household survey data using direct or indirect methods. The direct method requires the collection of a birth history for all women 15-49. For the MIS, the birth history is restricted to the last six years. The birth history includes information on all children ever born, their survival status and (for non-surviving children) their age at death, in order to calculate the probability of dying before age five from children exposed to mortality during the five-year period before the survey.

# III. INDICATORS FROM A MALARIA INDICATOR SURVEY (MIS)<sup>2</sup>

#### Household possession of mosquito nets

Percentage of households with any mosquito net (treated or untreated)
(1) Percentage of households with at least one insecticide-treated net (ITN)
Percentage of households with at least one long-lasting insecticidal net (LLIN)
Average number of mosquito nets per household
Average number of ITNs per household
Average number of LLINs per household
Percentage of households with at least one net for every two persons who stayed in the household last night

 (2) Percentage of households with at least one ITN for every two persons who stayed in the household last night

Percentage of households with at least one LLIN for every two persons who stayed in the household last night

#### Indoor residual spraying against mosquitoes

Percentage of households with IRS in the past 12 months

- (8) Percentage of households with at least one ITN and/or IRS in the past 12 months
- (9) Percentage of households with at least one ITN for every two persons and/or IRS in the past 12 months

# Use of mosquito nets by persons in the household

- (3) Percentage of the de facto household population with access to an ITN within their household Percentage of the de facto household population who slept the night before the survey under a mosquito net (treated or untreated)
- (4) Percentage who slept under an ITN

Percentage who slept under a long-lasting insecticidal net LLIN

Percentage who slept under an ITN or in a dwelling in which the interior walls have been sprayed against mosquitoes (IRS) in the past 12 months

Among the de facto household population in households with at least one ITN, the percentage who slept under an ITN the night before the survey

# Use of existing ITNs

(7) Percentage of ITNs that were used by anyone the night before the survey

# Use of mosquito nets by children the night before the survey

Percentage of children under age five who slept under a mosquito net (treated or untreated) (5) Percentage who slept under an ITN (MDG Indicator 6.7)

Percentage who slept under a LLIN Percentage who slept under a LLIN Percentage who slept under an ITN last night or in a dwelling in which the interior walls have been sprayed against mosquitoes (IRS) in the past 12 months

Among children under five years of age in households with at least one ITN, the percentage who slept under an ITN the night before the survey

#### Use of mosquito nets by pregnant women

Percentage of pregnant women age 15-49 who slept under any net the night before the survey (6) Percentage who slept under an ITN the night before the survey (MDG Indicator 6.7)

Percentage who slept under an ITN last night or in a dwelling in which the interior walls have been sprayed against mosquitoes (IRS) in the past 12 months;

Among pregnant women age 15-49 in households with at least one ITN, the percentage who slept under an ITN the night before the survey <sup>2</sup>The numbers in parentheses indicate the corresponding indicator in the previous GMAP list.

#### Use of intermittent preventive treatment (IPTp) by women during pregnancy

Percentage of women age 15-49 with a live birth in the two years preceding the survey who, during the pregnancy preceding the last birth, received any SP/Fansidar during an ANC visit,

(10) Percentage who took at least two doses of SP/Fansidar and received at least one dose during an ANC visit (RBM indicator)

#### Media exposure to malaria messages

Percentage of women age 15-49 who have seen or heard a message about malaria in the past 6 months through specific sources of media:

Radio Television Poster/Billboard Community health worker Community event Any source

# Prevalence, diagnosis, and prompt treatment of children under age five with fever in the two weeks preceding the survey

- Percentage of children under age five with fever in the two weeks preceding the survey
- (12) Percentage of children with fever for whom advice or treatment was sought
- (11) Percentage of children with fever who had blood taken from a finger or heel for testing
- (13) Percentage of children with fever who took any artemisinin-based combination therapy (ACT) Percentage of children with fever who took any ACT the same or next day Percentage of children with fever who took antimalarial drugs Percentage of children with fever who took antimalarial drugs same or next day (MDG Indicator 6.8)

#### Type of antimalarial drugs used by children

Percentage of children who took any ACT Percentage who took Quinine Percentage who took SP/Fansidar Percentage who took Chlorine Percentage who took Amodiaquine Percentage who took Other antimalarial

#### Coverage of testing for anemia and malaria in children

Percentage of eligible children age 6-59 months who were tested for anemia Percentage of eligible children age 6-59 months who were tested for Malaria with RDT Percentage of eligible children age 6-59 months who were tested for Malaria by microscopy

#### Prevalence of malaria in children

(15) Percentage of children age 6-59 months with hemoglobin lower than 8.0 g/dl

- (14) Percentage of children age 6-59 months classified RDT positive
- (14) Percentage of children age 6-59 months classified Microscopy positive

#### Mortality

(16) Under-5 mortality rate

Neonatal, postneonatal, infant and child mortality rates

# IV. LONG VERSION OF THE MALARIA MODULE: QUESTIONS INCLUDED IN A MALARIA INDICATOR SURVEY (MIS)<sup>1</sup>

# SECTIONS IN THE HOUSEHOLD QUESTIONNAIRE

COVER: IDENTIFICATION AND INTERVIEWER VISITS CONSENT STATEMENT: INTRODUCTION AND CONSENT SECTION 1A: HOUSEHOLD SCHEDULE (9 QUESTIONS) SECTION 1B: HOUSEHOLD CHARACTERISTICS (29 QUESTIONS, 11 ON MALARIA) SECTION 2: ANEMIA AND MALARIA TESTING FOR CHILDREN 0-6 YEARS (28 QUESTIONS FOR EACH CHILD, 20 ON MALARIA)

(Shaded questions are malaria-specific. In order to save space, detailed coding categories are not shown for some non-malaria questions).

LINE NO.	USUAL RESIDENTS AND VISITORS	RELATIONSHIP TO HEAD OF HOUSEHOLD	SEX	RESIDENCE		AGE	WOMEN AGE 15-49	CHILDREN AGE 0-5
1	2	3	4	5	6	7	8	9
	Please give me the names of the persons w ho usually live in your household and guests of the household w ho stayed here last night, starting with the head of the household. AFTER LISTING THE NAMES AN RECORDING THE RELATIONSHIP AND SEX FOR EACH PERSON, PROBE TO MAKE SURE THAT THE LISTING IS COMPLETE. THEN ASK APPROPRIATE QUESTIONS IN COLUMNS 5-9 FOR EACH PERSON.	What is the relationship of (NAME) to the head of the household?	ls (NAME) male or female?	Does (NAME) usually live here?	Did (NAME) stay here last night?	How old is (NAME)? IF 95 OR MORE, RECORD '95'.	CIRCLE LINE NUMBER OF ALL WOMEN AGE 15-49	CIRCLE LINE NUMBER OF ALL CHILDREN AGE 0-5
01			M F 1 2	Y N 1 2	Y N 1 2	IN YEARS	01	01
20			12	12	12		20	20

#### SECTION 1A. HOUSEHOLD SCHEDULE

<sup>&</sup>lt;sup>1</sup>The shaded questions on malaria can be included in any other kind of survey with small adjustments in the numbering and the referencing. The original MIS questionnaires used by the DHS and MICS programs are available from the Roll Back Malaria (RBM) website: <u>http://malariasurveys.org/toolkit.cfm</u>.

#### SECTION 1B. HOUSEHOLD CHARACTERISTICS

NO.	QUESTIONS AND FILTERS	CODING CA TEGORIES	SKIP
101	What is the main source of drinking water for members of your household?		
102	Where is that water source located?		
103	How long does it take to go there, get water, and come back?		
104	What kind of toilet facility do members of your household usually use?		
105	Do you share this toilet facility with other households?		
106	How many households use this toilet facility?		
107	Does your household have: Electricity? A radio? A television? A mobile telephone? A non-mobile telephone? A refrigerator? [ADD ADDITIONAL ITEMS. SEE FOOTNOTE 3.]		
108	What type of fuel does your household mainly use for cooking?		
109	MAIN MATERIAL OF THE FLOOR. RECORD OBSERVATION.		
110	MAIN MATERIAL OF THE ROOF. RECORD OBSERVATION.		
111	MAIN MATERIAL OF THE EXTERIOR WALLS. RECORD OBSERVATION.		
112	How many rooms in this household are used for sleeping?		
113	Does any member of this household ow n: A w atch? A bicycle? A motorcycle or motor scooter? An animal-draw n cart? A car or truck? A boat w ith a motor?		

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
114	Does any member of this household ow n any agricultural land?		
115	How many hectares of agricultural land do members of this household ow n? IF 95 OR MORE, CIRCLE '950'.		
116	Does this household own any livestock, herds, other farm animals, or poultry?		
117	How many of the follow ing animals does this household ow n? Cattle?		
	Milk cows or bulls?		
	Horses, donkeys, or mules?		
	Goats?		
	Sheep?		
	Chickens?		
118	Does any member of this household have a bank account?		
119	At any time in the past 12 months, has anyone come into your dw elling to spray the interior w alls against mosquitoes?	YES	<b>→</b> 121
120	Who sprayed the dw elling?	GOVERNMENT WORKER/PROGRAM A PRIVATE COMPANY B NONGOVERNMENTAL ORGANIZATION (NGO) C OTHER X (SPECIFY)	
		DON'T KNOW	
121	Does your household have any mosquito nets that can be used w hile sleeping?	YES 1 NO 2	> 201
122	How many mosquito nets does your household have?		
	IF 7 OR MORE NETS, RECORD '7'.		

		NET #1	NET #2	NET #3
123	ASK THE RESPONDENT TO SHOW YOU ALL THE NETS IN THE HOUSEHOLD			
	IF MORE THAN 3 NETS, USE ADDITIONAL QUESTIONNAIRE(S).	OBSERVED 1 NOT OBSERVED 2	OBSERVED 1 NOT OBSERVED 2	OBSERVED 1 NOT OBSERVED 2
124	How many months ago did your household get the mosquito net?		MONTHS 1	MONTHS 1
	IF LESS THAN ONE MONTH AGO, RECORD '00'. IF 36 MONTHS OR LESS, RECORD MONTHS. IF MORE THAN 36 MONTHS, RECORD Y EARS.	YEARS 2	YEARS 2	YEARS 2
125	OBSERVE OR ASK THE BRAND/ TYPE OF MOSQUITO NET. IF BRAND IS UNKNOWN AND YOU CANNOT OBSERVE THE NET, SHOW PICTURES OF TYPICAL NET TYPES/BRANDS TO RESPONDENT.	LONG-LASTING INSECTICIDE- TREATED NET (LLIN) BRAND A 11 BRAND B 12 - OTHER/ DK BRAND 16 - (SKIP TO 128) OTHER BRAND 96 DK BRAND 998	LONG-LASTING INSECTICIDE- TREA TED NET (LLIN) BRAND A 11 – BRAND B 12 – OTHER/ DK BRAND 16 – (SKIP TO 128) ← OTHER BRAND 96 DK BRAND 98	LONG-LASTING INSECTICIDE- TREATED NET (LLIN) BRAND A 11 BRAND B 12 - OTHER/ DK BRAND 16 - (SKIP TO 128) OTHER BRAND 96 DK BRAND 98
126	Since you got the net, was it ever soaked or dipped in a liquid to kill or repel mosquitoes?	YES 1 NO 2 (SKIP TO 128) ← NOT SURE 8	YES 1 NO 2 (SKIP TO 128) ← NOT SURE 8	YES
127	How many months ago w as the net last soaked or dipped? IF LESS THAN ONE MONTH AGO, RECORD '00'.	MONTHS AGO MORE THAN 24 MONTHS AGO 95 NOT SURE 98	MONTHS AGO MORE THAN 24 MONTHS AGO 95 NOT SURE 98	MONTHS AGO MORE THAN 24 MONTHS AGO 95 NOT SURE 98
128	Did anyone sleep under this mosquito net last night?	YES	YES	YES
129	Who slept under this mosquito net last night?	NAME	NAME	NAME
	RECORD THE PERSON'S NAME	NA ME	NAME	NAME
	AND LINE NUMBER FROM THE HOUSEHOLD SCHEDULE.	LINE	LINE	LINE NO
		LINE NO	LINE NO	LINE NO
		NA.ME	NAME	NAME
		LINE NO	LINE NO	LINE NO
130		GO BACK TO 123 FOR NEXT NET; OR, IF NO MORE NETS, GO TO 201.	GO BACK TO 123 FOR NEXT NET; OR, IF NO MORE NETS, GO TO 201.	GO TO 123 IN FIRST COLUMN OF A NEW QUESTIONNAIRE; OR, IF NO MORE NETS, GO TO 201.

#### SECTION 2. ANEMIA AND MALARIA TESTING FOR CHILDREN AGE 0-5 YEARS

201	CHECK COLUMN 9 IN HOUSEHOLD SCHEDULE. RECORD THE LINE NUMBER AND NAME FOR ALL ELIGIBLE CHILDREN 0-5 YEARS IN QUESTION 202. IF MORE THAN THREE CHILDREN, USE ADDITIONAL QUESTIONNAIRE(S).					
		CHILD 1	CHILD 2	CHILD 3		
202	LINE NUMBER FROM COLUMN 9 NAME FROM COLUMN 2	LINE NUMBER	LINE NUMBER	LINE NUMBER		
203	IF MOTHER INTERVIEWED, COPY MONTH AND YEAR OF BIRTH FROM BIRTH HISTORY AND ASK DAY; IF MOTHER NOT INTERVIEWED, ASK: What is (NAME)'s birth date?	DAY	DAY	DAY		
204	CHECK 203: CHILD BORN IN JANUARY 2009 <b>(1)</b> OR LATER?	YES	YES	YES		
205	CHECK 203: IS CHILD AGE 0-5 MONTHS, I.E., WAS CHILD BORN IN MONTH OF INTERVIEW OR FIVE PREVIOUS MONTHS?	0-5 MONTHS 1 (GO TO 203 FOR NEXT CHILD OR, IF NO MORE ← CHILDREN, END INTERVIEW) OLDER	0-5 MONTHS 1 (GO TO 203 FOR NEXT CHILD OR, IF NO MORE ← CHILDREN, END INTERVIEW) OLDER	0-5 MONTHS 1 (GO TO 203 FOR NEXT CHILD OR, IF NO MORE CHILDREN, END INTERVIEW) OLDER 2		
206	LINE NUMBER OF PARENT/ OTHER ADULT RESPONSIBLE FOR THE CHILD (FROM COLUMN 1 OF HOUSEHOLD SCHEDULE). RECORD '00' IF NOT LISTED.	LINE NUMBER	LINE NUMBER	LINE NUMBER		
207	ASK CONSENT FOR ANEMIA TEST FROM PARENT/OTHER ADULT IDENTIFIED IN 206 AS RESPONSIBLE FOR CHILD.	As part of this survey, we are asking children all over the country to take an <u>anemia</u> test Anemia is a serious health problem that usually results from poor nutrition, infection, or chronic disease. This survey will assist the government to develop programs to prevent at treat anemia. We ask that all children born in 2009 (1) or later take part in anemia testing in this survey a give a few drops of blood from a finger or heel. The equipment used to take the blood is cl and completely safe. It has never been used before and will be throw n aw ay after each to The blood will be tested for anemia immediately, and the result will be told to you right aw a The result will be kept strictly confidential and will not be shared with anyone other than members of our survey team. Do you have any questions? You can say yes to the test, or you can say no. It is up to you to decide. Will you allow (NAME OF CHILD) to participate in the anemia test?				
208	CIRCLE THE APPROPRIATE CODE AND SIGN YOUR NAME.	GRANTED	GRANTED	GRANTED 1 (SIGN) ◀ REFUSED 2 NOT PRESENT 5 OTHER 6		

		CHILD 1	CHILD 2	CHILD 3	
	NAME FROM COLUMN 2	NAME	NAME	NAME	
209	ASK CONSENT FOR MALARIA TEST FROM PARENT/OTHER ADULT IDENTIFIED IN 206 AS RESPONSIBLE FOR CHILD.	As part of this survey, we are asking that children all over the country take a test to they have <u>malaria</u> . Malaria is a serious illness caused by a parasite transmitted by bite. This survey will help the government to develop programs to prevent malaria. We ask that all children born in 2008 (1) or later take part in malaria testing in this su give a few drops of blood from a finger or heel. The equipment used to take the blo and completely safe. It has never been used before and will be throw n aw ay after (We will use blood from the same finger or heel prick made for the anemia test). On drop will be tested for malaria immediately, and the result will be told to you right aw few blood drops will be collected on a slide(s) and taken to a laboratory for testing. not be told the results of the laboratory testing. All results will be kept strictly confic will not be shared with anyone other than members of our survey team. Do you have any questions? You can say yes to the test, or you can say no. It is up to you to decide. Will you allow (NAME OF CHILD) to participate in the malaria testing?			
210	CIRCLE THE APPROPRIATE CODE AND SIGN YOUR NAME.	GRANTED 1 (SIGN) ← REFUSED 2 NOT PRESENT 5 OTHER 6	GRANTED       1        (SIGN)       ▲         REFUSED       2         NOT PRESENT       5         OTHER       6	GRANTED 1 (SIGN) ← REFUSED 2 NOT PRESENT 5 OTHER 6	
211	PREPARE EQUIPMENT AND SUPPLIE THE TEST(S).	ES ONLY FOR THE TEST(S) FOR	WHICH CONSENT HAS BEEN OE	TAINED AND PROCEED WITH	
212	BAR CODE LABEL FOR MALARIA TEST.	PUT THE 1ST BAR CODE LABEL HERE. NOT PRESENT 99994 REFUSED 99995 OTHER 99996 PUT THE 2ND BAR CODE LABEL ON THE SLIDE AND THE 3RD ON THE TRANSMITTAL FORM.	PUT THE 1ST BAR CODE LABEL HERE. NOT PRESENT 99994 REFUSED 99995 OTHER 99996 PUT THE 2ND BAR CODE LABEL ON THE SLIDE AND THE 3RD ON THE TRANSMITTAL FORM.	PUT THE 1ST BAR CODE LABEL HERE. NOT PRESENT 99994 REFUSED 99995 OTHER 99996 PUT THE 2ND BAR CODE LABEL ON THE SLIDE AND THE 3RD ON THE TRANSMITTAL FORM.	
213	RECORD HEMOGLOBIN LEV EL HERE AND IN THE ANEMIA AND MALARIA BROCHURE.	G/DL	G/DL	G/DL	
214	RECORD RESULT CODE OF THE MALARIA RDT.	TESTED 1 NOT PRESENT 2 - REFUSED 3 - OTHER 6 - (SKIP TO 216) ↓	TESTED 1 NOT PRESENT 2 - REFUSED 3 - OTHER 6 - (SKIP TO 216) ↓	TESTED 1 NOT PRESENT 2 - REFUSED 3 - OTHER 6 - (SKIP TO 216) ↓	
215	RECORD THE RESULT OF THE MALARIA RDT HERE AND IN THE ANEMIA AND MALARIA BROCHURE.	POSITIVE	POSITIVE	POSITIVE	

		CHILD 1	CHILD 2	CHILD 3
	NAME FROM COLUMN 2	NAME	NAME	NAME
216	CHECK 213: HEMOGLOBIN RESULT	BELOW 8.0 G/DL, SEVERE ANEMIA 1 8.0 G/DL OR ABOVE 2 - NOT PRESENT 4 - REFUSED 5 - OTHER 6 - (SKIP TO 229)	NOT PRESENT 4 <sup></sup> REFUSED 5 <sup></sup>	BELOW 8.0 G/DL, SEVERE ANEMIA 1 8.0 G/DL OR ABOVE 2 - NOT PRESENT 4 - REFUSED 5 - OTHER 6 - (SKIP TO 229)
217	SEVERE ANEMIA REFERRAL STATEMENT	The anemia test show s that (N must be taken to a health facilit SKIP TO 229	IAME OF CHILD) has severe aner y immediately.	mia. Your child is very ill and
<b>*</b> 218 <b>*</b> 219	Does (NAME) suffer from the any of follow ing illnesses or symptoms (2): Extreme w eakness? Heart problems? Loss of consciousness? Rapid or difficult breathing? Seizures? Abnormal bleeding? Jaundice or yellow skin? Dark urine? IF NONE OF THE ABOVE SY MPTOMS, CIRCLE CODE Y CHECK 218: ANY CODE A-H CIRCLED?	EXTREME WEAKNESS A HEART PROBLEMS B LOSS OF CONSCIOUSNESS C RAPID BREATHING D SEIZURES E BLEEDING F JAUNDICE G DARK URINE H NONE OF ABOVE SYMPTOMS Y ONLY CODE Y CIRCLED 1 ANY CODE A-H CIRCLED 2 (SKIP TO 222)	EXTREME WEAKNESS A HEART PROBLEMS B LOSS OF CONSCIOUSNESS C RAPID BREATHING D SEIZURES E BLEEDING F JAUNDICE G DARK URINE H NONE OF ABOVE SYMPTOMS Y ONLY CODE Y CIRCLED 1 ANY CODE A-H CIRCLED 2 (SKIP TO 222)	EXTREME WEAKNESS A HEART PROBLEMS B LOSS OF CONSCIOUSNESS C RAPID BREATHING D SEIZURES E BLEEDING F JAUNDICE G DARK URINE H NONE OF ABOVE SYMPTOMS Y ONLY CODE Y CIRCLED 1 ANY CODE A-H CIRCLED 2 (SKIP TO 222)
220	CHECK 213: HEMOGLOBIN RESULT	BELOW 8.0 G/DL, SEVERE ANEMIA 1 (SKIP TO 222) J 8.0 G/DL OR ABOVE 2 NOT PRESENT 4 REFUSED 5 OTHER 6	BELOW 8.0 G/DL, SEVERE ANEMIA 1 (SKIP TO 222) J 8.0 G/DL OR ABOVE 2 NOT PRESENT 4 REFUSED 5 OTHER 6	BELOW 8.0 G/DL, SEVERE ANEMIA 1 (SKIP TO 222) J 8.0 G/DL OR ABOVE 2 NOT PRESENT 4 REFUSED 5 OTHER 6
221	In the past tw o w eeks has (NAME) taken or is taking [FIRST LINE MEDICATION] given by a doctor or health center to treat the malaria? VERIFY BY ASKING TO SEE TREATMENT.	YES	YES	YES

		CHILD 1	CHILD 2	CHILD 3			
	NAME FROM COLUMN 2	NAME	NAME	NAME			
222	SEVERE MALARIA REFERRAL STATEMENT	The malaria test shows that (NAME OF CHILD) has malaria. Your child also has symptoms of severe malaria. The malaria treatment I have will not help your child, and I cannot give you the medication. Your child is very ill and must be taken to a health facility right aw ay. SKIP TO 228					
223	ALREADY TAKING [FIRST LINE MEDICATION] REFERRAL STATEMENT	You have told me that (NAME OF CHILD) has already received [FIRST LINE MEDICATION] for malaria. Therefore, I cannot give you additional [FIRST LINE MEDICATION]. How ever, the test show s that he/she has malaria. If your child has a fever for two days after the last dose of [FIRST LINE MEDICATION], you should take the child to the nearest health facility for further examination. SKIP TO 228					
224	READ INFORMATION FOR MALARIA TREATMENT AND CONSENT STATEMENT TO PARENT OR OTHER ADULT RESPONSIBLE FOR THE CHILD.	The malaria test shows that your child has malaria. We can give you free medicine. The medicine is called [FIRST LINE MEDICATION]. [FIRST LINE MEDICATION] is very effective and in a few days it should get rid of the fever and other symptoms. You do not have to give the child the medicine. This is up to you. Please tell me w hether you accept the medicine or not.					
225	CIRCLE THE A PPROPRIATE CODE AND SIGN YOUR NAME.	ACCEPTED MEDICINE 1 (SIGN) REFUSED 2 OTHER 6	ACCEPTED MEDICINE 1 ← (SIGN) ← REFUSED 2 OTHER	ACCEPTED MEDICINE 1 ← (SIGN) ← REFUSED 2 OTHER 6			
226	CHECK 225: MEDICATION ACCEPTED	ACCEPTED MEDICINE 1 REFUSED 2 OTHER	ACCEPTED MEDICINE 1 REFUSED 2 OTHER	ACCEPTED MEDICINE 1 REFUSED 2 OTHER			
227	TREATMENT FOR CHILDREN WITH POSITIVE MALARIA TESTS	1	INSERT DOSAGE INSTRUCTIONS	6]			
		ALSO TELL THE PARENT/ADULT RESPONSIBLE FOR THE CHILD (10): If [NAME] has a high fever, fast or difficult breathing, is not able to drink or breastfeed, gets sicker or does not get better in two days, you should take him/her to a health professional for treatment right aw ay.					
228	RECORD THE RESULT CODE OF MALARIA TREATMENT OR REFERRAL.	MEDICATION GIVEN 1 MEDS REFUSED 2 SEV ERE MALARIA REFERRAL 3 ALREADY TAKING ACTS REFERRAL 4 OTHER 6	MEDICATION GIVEN 1 MEDS REFUSED 2 SEVERE MALARIA REFERRAL 3 ALREADY TAKING ACTS REFERRAL 4 OTHER 6	MEDICATION GIVEN 1 MEDS REFUSED 2 SEVERE MALARIA REFERRAL 3 ALREADY TAKING ACTS REFERRAL 4 OTHER 6			
229	GO BACK TO 203 IN NEXT COLUMN CHILDREN, END INTERVIEW.	N OF THIS QUESTIONNAIRE OR IN	N THE FIRST COLUMN OF THE NE	XT PAGE; IF NO MORE			

- (1) Year of fieldwork is assumed to be 2014. For fieldwork beginning in 2015 or 2016, the year should be 2010 or 2011, respectively.
- (2) This is a list of generic symptoms indicative of severe malaria. Symptoms should be revised according to the country's national malaria treatment guidelines.

# QUESTIONS IN THE WOMAN QUESTIONNAIRE

SECTION 1A. COVER: IDENTIFICATION

SECTION 1B. INTRODUCTION AND CONSENT

SECTION 1C. RESPONDENT'S BACKGROUND (2 ON MALARIA, OTHER: 8)

SECTION 2A. REPRODUCTION: INTRODUCTION (10 QUESTIONS)

SECTION 2B. REPRODUCTION: BIRTH HISTORY IN THE LAST 6 YEARS AND PREGNANCY STATUS (16 QUESTIONS)

SECTION 3. LAST PREGNANCY: ANTENATAL CARE AND MALARIA (7 QUESTIONS ON MALARIA; OTHER: 4)

SECTION 4. FEVER IN CHILDREN AND TREATMENT (25 QUESTIONS FOR EACH CHILD, 14 ON MALARIA)

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
101	RECORD THE TIME.	HOUR	
102	In w hat month and year w ere you born?	MONTH       98         DON'T KNOW MONTH       98         YEAR       1         DON'T KNOW YEAR       9998	
103	How old were you at your last birthday? COMPARE AND CORRECT 102 AND/OR 103 IF INCONSISTENT.	AGE IN COMPLETED YEARS	
104	Have you ever attended school?	YES 1 NO 2	→ 108
105	What is the highest level of school you attended: primary, secondary, or higher?	PRIMARY 1 SECONDARY 2 HIGHER 3	
106	What is the highest (grade/form/year) you completed at that IF COMPLETED LESS THAN 1 YEAR, RECORD '00'.	GRADE/FORMYEAR	
107	CHECK 105: PRIMARY SECONDARY OR HIGHER		→ 109
108	Now I would like you to read this sentence to me. SHOW CARD TO RESPONDENT. IF RESPONDENT CANNOT READ WHOLE SENTENCE, PROBE: Can you read any part of the sentence to me?	CANNOT READ AT ALL	
109	In the past 6 months, have you seen or heard any messages about malaria?	YES 1 NO 2	→ 201
110	Have your seen or heard these messages: On the radio? On the television? On a poster or billboard? From a community health w orker? At a community event? RECORD ALL MENTIONED	RADIO       A         TELEVISION       B         POSTER OR BILLBOARD       C         COMMUNITY HEALTH WORKER       D         COMMUNITY EVENT       E         OTHER       X         (SPECIFY)	

#### SECTION 1C. RESPONDENT'S BACKGROUND

# SECTION 2A. REPRODUCTION: INTRODUCTION

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
201	Now I would like to ask about all the births you have had during your life. Have you ever given birth?	YES 1 NO 2	→ 206
202	Do you have any sons or daughters to w hom you have given birth w ho are now living w ith you?	YES 1 NO 2	> 204
203	How many sons live with you?	SONS AT HOME	
	And how many daughters live with you?	DAUGHTERS AT HOME	
	IF NONE, RECORD '00'.		
204	Do you have any sons or daughters to w hom you have given birth w ho are alive but do not live w ith you?	YES 1 NO 2	→ 206
205	How many sons are alive but do not live with you?		
	And how many daughters are alive but do not live with you?	DAUGHTERS ELSEWHERE	
	IF NONE, RECORD '00'.		
206	Have you ever given birth to a boy or girl w ho w as born alive but later died?		
	IF NO, PROBE: Any baby w ho cried or show ed signs of life but did not survive?	YES 1 NO 2	→ 208
207	How many boys have died?	BOYS DEAD	
	And how many girls have died?	GIRLS DEAD	
208	SUM ANSWERS TO 203, 205, 207, AND ENTER TOTAL.		
	IF NONE, RECORD '00'.	TOTAL BIRTHS	
		NONE 00	
209	CHECK 208:		
	Just to make sure that I have this right: You have had in TOTAL births during your life. Is that correct?		
	PROBE AND YES NO CORRECT		
	201-208 AS NECESSARY.		
210	CHECK 208:	TOTAL IN THE	
	ONE BIRTH TWO OR MORE BIRTHS	LAST 6 YEARS	
	$\square$ $\square$	NONE 00	<b>→</b> 224
	Was this child born in How many of these the last 6 years? children w ere born in the last 6 years?		
	the last 6 years? IF NO CIRCLE '00'.		

# SECTION 2B. REPRODUCTION: BIRTH HISTORY IN THE LAST 6 YEARS AND PREGNANCY STATUS

	211 Now I would like to record of all your births since January 2008, whether still alive or not, starting with the first one you had. RECORD NAMES OF ALL THE BIRTHS IN 212. RECORD TWINS AND TRIPLETS ON SEPARATE ROWS.								
212	213	214	215	216	217 IF ALIVE:	218 IF ALIVE:	219 IF ALIVE:	220 IF DEAD:	221
What name was given to your (first/next) baby? (NAME)	Is (NAME) a boy or a girl?	Were any of these births twins?	In what month and year was (NAME) born? PROBE: What is his/her birthday?	ls (NAME) still alive?	How old was (NAME) at his/her last birthday? RECORD AGE IN COM- PLETED YEARS.	Is (NAME) living with you?	RECORD HOUSE- HOLD LINE NUMBER OF CHILD (RECORD '00' IF CHILD NOT LISTED IN HOUSE- HOLD).	How old was (NAME) when he/she died? IF '1 YR', PROBE: How many months old was (NAME)? RECORD DAYS IF LESS THAN 1 MONTH; MONTHS IF LESS THAN TWO YEARS; OR YEARS.	Were there any other live births between (NAME OF PREVIOUS BIRTH) and (NAME), including any children who died after birth?
01	BOY 1 GIRL 2	SING 1 MULT 2	MONTH YEAR	YES 1 NO 2 ↓	AGE IN YEARS	YES 1 NO 2	LINE NUMBER	DAYS 1 MONTHS 2 YEARS 3	
				220					
05	BOY 1 GIRL 2	SING 1 MULT 2	MONTH YEAR	YES 1 NO 2 ↓ 220	AGE IN YEARS	YES 1 NO 2	(GO TO 221)	DAYS 1 MONTHS 2 YEARS 3	YES 1 ADD <sup>4J</sup> BIRTH NO 2 NEXT <sup>4J</sup> BIRTH
222			births since the birtl , RECORD BIRTH(			-			
223	COMPARE 208 WITH NUMBER OF BIRTHS IN HISTORY ABOVE AND MARK: NUMBERS ARE SAME DIFFERENT (PROBE AND RECONCILE)								
224	Are you pregnant now ?         YES					226			
225	How many months pregnant are you? RECORD NUMBER OF COMPLETED MONTHS.				MONTH	S			
226	CHECK 22		NE OR MORE BIRTHS IN 2009 (1) OR LATER	]	N BIRTI IN 2009 ( OR LAT OR IS BLAI	( <b>1)</b> ER			→ 426

#### SECTION 3. LAST PREGNANCY: ANTENATAL CARE AND MALARIA

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
301	Now I would like to ask some questions about your most recent	pregnancy that resulted in a live birth.	
<b>5</b> 302	FROM 212 AND 216, LINE 01: ENTER THE NAME AND SURVIVAL STATUS OF THE MOST RECENT BIRTH.	LAST BIRTH	
303	When you were pregnant with (NAME), did you see anyone for antenatal care for this pregnancy?	YES	→ 305
<b>5</b> 304	Whom did you see? Anyone else? PROBE TO IDENTIFY EACH TYPE OF PERSON AND RECORD ALL	HEALTH PERSONNEL DOCTOR A NURSE/MIDWIFE B AUXILIARY MIDWIFE C OTHER PERSON TRADITIONAL BIRTH ATTENDANT D	
	MENTIONED.	OTHER X	
305	During this pregnancy, did you take any drugs to keep you from getting malaria?	YES	311
<b>5</b> 306	What drugs did you take? RECORD ALL MENTIONED. IF TYPE OF DRUG IS NOT DETERMINED, SHOW TYPICAL ANTIMALARIAL DRUGS TO RESPONDENT.	SP/FANSIDAR A CHLOROQUINE B OTHER X (SPECIFY) DON'T KNOW Z	
<b>5</b> 307	CHECK 306: CODE 'A' SP/FANSIDAR TAKEN FOR CIRCLED NOT	CODE 'A'	→ 311
308	How many times did you take (SP/Fansidar) during this pregnancy?	TIMES	
<b>5</b> 309	CHECK 304: CODE 'A', 'B', OR 'C' ANTENATAL CARE FROM HEALTH PERSONNEL DURING THIS PREGNANCY		→ 311
310	Did you get the (SP/Fansidar) during any antenatal care visit, during another visit to a health facility or from another source?	ANTENATAL VISIT       1         ANOTHER FACILITY VISIT       2         OTHER SOURCE       6	
<b>5</b> 311	LIV ING CHILDREN CHILDF	NO LIVING REN BORN DR LATER	→ 426

(1) Year of fieldw ork is assumed to be 2014. For fieldw ork beginning in 2015 or 2016, the year should be 2010 or 2011, respectively.

#### SECTION 4. FEVER IN CHILDREN

401	CHECK 215: ENTER IN THE TABLE THE BIRTH HISTORY NUMBER, NAME, AND SURVIVAL STATUS OF EACH BIRTH IN 2008 (1) OR LATER. ASK THE QUESTIONS ABOUT ALL OF THESE BIRTHS. BEGIN WITH THE LAST BIRTH. (IF THERE ARE MORE THAN 3 BIRTHS, USE ADDITIONAL QUESTIONNAIRES). Now I would like to ask some questions about the health of your children born since January 2008. (We will talk abou separately.)			
402	BIRTH HISTORY NUMBER FROM 212 IN BIRTH HISTORY	LAST BIRTH BIRTH HISTORY	NEXT-TO-LAST BIRTH BIRTH HISTORY	SECOND-FROM-LAST BIRTH BIRTH HISTORY
		NUMBER	NUMBER	NUMBER
403	FROM 212 AND 216	NAME	NAME	NAME
		↓ ↓ (GO TO 403	↓ ↓ (GO TO 403	↓ ↓ (GO TO 403 IN NEXT-
		IN NEXT COLUMN OR, IF NO MORE	IN NEXT COLUMN OR, IF NO MORE	TO-LAST COLUMN OF NEW QUESTIONNAIRE,
		BIRTHS, GO TO 426)	BIRTHS, GO TO 426)	OR, IF NO MORE
404				BIRTHS, GO TO 426)
404	Has (NAME) been ill with a fever at any time in the last 2 w eeks?	YES 1 NO 2	YES 1 NO 2	YES 1 NO 2
		(GO TO 403 IN NEXT COLUMN	(GO TO 403 IN NEXT COLUMN	(GO TO 403 IN NEXT COLUMN
		OR, IF NO MORE	OR, IF NO MORE	OR, IF NO MORE
		BIRTHS, GO TO 426) DON'T KNOW 8	BIRTHS, GO TO 426) DON'T KNOW 8	BIRTHS, GO TO 426) DON'T KNOW 8
405	Did you seek advice or treatment	YES 1	YES 1	YES 1
	for the illness from any source?	NO 2 (SKIP TO 410) ◀	NO 2 (SKIP TO 410) ←	NO 2 (SKIP TO 410)◀
406	Where did you seek advice or	PUBLIC SECTOR	PUBLIC SECTOR	PUBLIC SECTOR
	treatment?	GOVT. HOSPITAL A GOVT. HEALTH	GOVT. HOSPITAL A GOVT. HEALTH	GOVT. HOSPITAL A GOVT. HEALTH
	Anywhere else?	CENTER B	CENTER B	CENTER B
	PROBE TO IDENTIFY EACH	GOVT. HEALTH POST C	GOVT. HEALTH POST C	GOVT. HEALTH POST C
	TYPE OF SOURCE.	MOBILE CLINIC D	MOBILE CLINIC D	MOBILE CLINIC D
	IF UNA BLE TO DETERMINE	FIELDWORKER E OTHER PUBLIC	FIELDWORKER E OTHER PUBLIC	FIELDWORKER E OTHER PUBLIC
	IF PUBLIC OR PRIVATE	SECTOR	SECTOR	SECTOR
	SECTOR, WRITE THE NAME OF THE PLACE.	(SPECIFY)	(SPECIFY)	(SPECIFY)
		PRIVATE MEDICAL	PRIVATE MEDICAL	PRIVATE MEDICAL
	(NAME OF PLACE(S))	SECTOR PVT. HOSPITAL/	SECTOR PVT. HOSPITAL/	SECTOR PVT. HOSPITAL/
		CLINIC G	CLINIC G	CLINIC G
		PHARMACY H PVT. DOCTOR I	PHARMACY H PVT. DOCTOR I	PHARMACY H PVT. DOCTOR I
		MOBILE CLINIC J	MOBILE CLINIC J	MOBILE CLINIC J
		OTHER PRIVATE MED. SECTOR	OTHER PRIVATE MED. SECTOR	OTHER PRIVATE MED. SECTOR
		(SPECIFY)	L (SPECIFY)	(SPECIFY)
		OTHER SOURCE	OTHER SOURCE	OTHER SOURCE
		SHOP M TRADITIONAL	SHOP M TRADITIONAL	SHOP M TRADITIONAL
		PRACTITIONER N	PRACTITIONER N	PRACTITIONER N
		MARKET O	MARKET O	MARKET O
		OTHER X (SPECIFY)	OTHER X (SPECIFY)	OTHER X (SPECIFY)

		LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH
NO.	QUESTIONS AND FILTERS	NAME	NAME	NAME
407	CHECK 406:	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 409)	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 409)	TWO OR ONLY MORE ONE CODES CODE CIRCLED CIRCLED (SKIP TO 409)
408	Where did you first seek advice or treatment? USE LETTER CODE FROM 406.	FIRST PLACE	FIRST PLACE	FIRST PLACE
409	At any time during the illness, did (NAME) have blood taken from his/her finger or heel for testing?	YES	YES	YES 1 NO 2 DON'T KNOW 8
410	At any time during the illness, did (NAME) take any drugs for the illness?	YES 1 NO 2 (GO BACK TO 403 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 426) DON'T KNOW 8	YES	YES 1 NO 2 (GO TO 403 IN NEXT-TO-LA ST COLUMN OF NEW QUESTIONNAIRE; OR, IF NO MORE BIRTHS, GO TO 426) DON'T KNOW 8
411	What drugs did (NAME) take? Any other drugs? RECORD ALL MENTIONED.	ANTIMALARIAL DRUGS SP/FANSIDAR A CHLOROQUINE B AMODIAQUINE C QUININE D COMBINATION WITH ARTEMISININ E OTHER ANTI- MALARIAL F (SPECIFY) ANTIBIOTIC DRUGS PILL/SY RUP G INJECTION H OTHER DRUGS ASPIRIN I ACETA- MINOPHEN J IBUPROFEN K OTHERX (SPECIFY) DON'T KNOW Z	ANTIMALARIAL DRUGS SP/FANSIDAR A CHLOROQUINE . B AMODIAQUINE C QUININE D COMBINATION WITH ARTEMISININ E OTHER ANTI- MALARIAL F (SPECIFY) ANTIBIOTIC DRUGS PILL/SY RUP G INJECTION H OTHER DRUGS ASPIRIN I ACETA- MINOPHEN J IBUPROFEN K OTHERX (SPECIFY) DON'T KNOW Z	ANTIMALARIAL DRUGS SP/FANSIDAR A CHLOROQUINE B AMODIAQUINE C QUININE D COMBINATION WITH ARTEMISININ E OTHER ANTI- MALARIAL F (SPECIFY) ANTIBIOTIC DRUGS PILL/SY RUP G INJECTION H OTHER DRUGS ASPIRIN I ACETA- MINOPHEN J IBUPROFEN K OTHERX (SPECIFY) DON'T KNOW Z
412	CHECK 411: ANY CODE A-F CIRCLED?	YES NO (GO BACK TO 403 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 426)	YES NO (GO BACK TO 403 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 426)	YES NO (GO TO 403 IN NEXT-TO-LAST COLUMN OF NEW QUESTIONNAIRE; OR, IF NO MORE BIRTHS, GO TO 426)

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH NAME
413	CHECK 411: SP/FANSIDAR ('A') GIVEN	CODE 'A' CODE 'A' CIRCLED NOT CIRCLED (SKIP TO 415)	CODE 'A' CODE 'A' CIRCLED NOT CIRCLED (SKIP TO 415)	CODE 'A' CODE 'A' CIRCLED NOT CIRCLED (SKIP TO 415)
414	How long after the fever started did (NAME) first take (SP/Fansidar)?	SAME DAY0NEXT DAY1TWO DAYS AFTER2FEVER2THREE OR MOREDAYS AFTERFEVER3DON'T KNOW8	SAME DAY 0 NEXT DAY 1 TWO DAYS AFTER FEVER 2 THREE OR MORE DAYS AFTER FEVER 3 DON'T KNOW 8	SAME DAY 0 NEXT DAY 1 TWO DAYS AFTER FEVER 2 THREE OR MORE DAYS AFTER FEVER 3 DON'T KNOW 8
415	CHECK 411: CHLOROQUINE ('B') GIVEN	CODE 'B' CODE 'B' CIRCLED NOT CIRCLED (SKIP TO 417)	CODE 'B' CODE 'B' CIRCLED NOT CIRCLED (SKIP TO 417)	CODE 'B' CODE 'B' CIRCLED NOT CIRCLED (SKIP TO 417)
416	How long after the fever started did (NAME) first take chloroquine?	SAME DAY0NEXT DAY1TWO DAYS AFTER2FEVER2THREE OR MOREDAYS AFTERFEVER3DONT KNOW8	SAME DAY 0 NEXT DAY 1 TWO DAYS AFTER FEVER 2 THREE OR MORE DAYS AFTER FEVER 3 DON'T KNOW 8	SAME DAY 0 NEXT DAY 1 TWO DAYS AFTER FEVER 2 THREE OR MORE DAYS AFTER FEVER 3 DON'T KNOW 8
417	CHECK 411: AMODIAQUINE ('C') GIV EN	CODE 'C' CODE 'C' CIRCLED NOT CIRCLED (SKIP TO 419)	CODE 'C' CODE 'C' CIRCLED NOT CIRCLED (SKIP TO 419)	CODE 'C' CODE 'C' CIRCLED NOT CIRCLED (SKIP TO 419)
418	How long after the fever started did (NAME) first take amodiaquine?	SAME DAY 0 NEXT DAY 1 TWO DAYS AFTER FEVER 2 THREE OR MORE DAYS AFTER FEVER 3 DONT KNOW 8	SAME DAY 0 NEXT DAY 1 TWO DAYS AFTER FEVER 2 THREE OR MORE DAYS AFTER FEVER 3 DON'T KNOW 8	SAME DAY 0 NEXT DAY 1 TWO DAYS AFTER FEVER 2 THREE OR MORE DAYS AFTER FEVER 3 DON'T KNOW 8
419	CHECK 411: QUININE ('D') GIV EN	CODE 'D' CODE 'D' CIRCLED NOT CIRCLED (SKIP TO 421)	CODE 'D' CODE 'D' CIRCLED NOT CIRCLED (SKIP TO 421)	CODE 'D' CODE 'D' CIRCLED NOT CIRCLED (SKIP TO 421)
420	How long after the fever started did (NAME) first take quinine?	SAME DAY       0         NEXT DAY       1         TWO DAYS AFTER       2         FEVER       2         THREE OR MORE       0         DAYS AFTER       5         FEVER       3         DON'T KNOW       8	SAME DAY 0 NEXT DAY 1 TWO DAYS AFTER FEVER 2 THREE OR MORE DAYS AFTER FEVER 3 DON'T KNOW 8	SAME DAY 0 NEXT DAY 1 TWO DAYS AFTER FEVER 2 THREE OR MORE DAYS AFTER FEVER 3 DON'T KNOW 8

NO.	QUESTIONS AND FILTERS	LAST BIRTH	NEXT-TO-LAST BIRTH	SECOND-FROM-LAST BIRTH NAME
421	CHECK 411: COMBINATION WITH ARTEMISININ ('E') GIVEN	CODE 'E' CODE 'E' CIRCLED NOT CIRCLED (SKIP TO 423)	CODE 'E' CODE 'E' CIRCLED NOT CIRCLED (SKIP TO 423)	CODE 'E' CODE 'E' CIRCLED NOT CIRCLED (SKIP TO 423)
422	How long after the fever started did (NAME) first take (COMBINATION WITH ARTEMISININ)?	SAME DAY       0         NEXT DAY       1         TWO DAYS AFTER       2         FEVER       2         THREE OR MORE       0         DAYS AFTER       5         FEVER       3         DON'T KNOW       8	SAME DAY0NEXT DAY1TWO DAYS AFTER2FEVER2THREE OR MORE0DAYS AFTER7FEVER3DON'T KNOW8	SAME DAY0NEXT DAY1TWO DAYS AFTERFEVER2THREE OR MOREDAYS AFTERFEVER3DON'T KNOW8
423	CHECK 411: OTHER ANTIMALARIAL ('F') GIVEN	CODE 'F' CODE 'F' CIRCLED NOT CIRCLED (GO BACK TO 403 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 426)	CODE 'F' CODE 'F' CIRCLED NOT CIRCLED (GO BACK TO 403 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 426)	CODE 'F' CODE 'F' CIRCLED NOT CIRCLED (GO TO 403 IN NEXT-TO-LAST COLUMN OF NEW QUESTIONNAIRE; OR, IF NO MORE BIRTHS, GO TO 426)
424	How long after the fever started did (NAME) first take (OTHER ANTIMALARIAL)?	SAME DAY0NEXT DAY1TWO DAYS AFTERFEVER2THREE OR MOREDAYS AFTERFEVER3DON'T KNOW8	SAME DAY0NEXT DAY1TWO DAYS AFTERFEVER2THREE OR MOREDAYS AFTERFEVER3DON'T KNOW8	SAME DAY0NEXT DAY1TWO DAYS AFTERFEVER2THREE OR MOREDAYS AFTERFEVER3DON'T KNOW8
425		GO BACK TO 403 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 426.	GO BACK TO 403 IN NEXT COLUMN; OR, IF NO MORE BIRTHS, GO TO 426.	GO TO 403 IN NEXT-TO-LAST COLUMN OF NEW QUESTIONNAIRE; OR, IF NO MORE BIRTHS, GO TO 426.
426	RECORD THE TIME.		HOUR	

# V. SHORT VERSION OF THE MALARIA MODULE

In the proposed long version of the Malaria Module, section 3 on anemia and malaria testing for children 0-6 years is the most complex and difficult section (28 questions for each child). It is suggested that for the short version of the Malaria Module, anemia and malaria testing don't be included. In this case, the content proposed for the short version of the module is as follows:

SECTION 1A. COVER: IDENTIFICATION

- SECTION 1B. COVER: INTERVIEWER VISITS
- SECTION 1C. INTRODUCTION AND CONSENT
- SECTION 1D. HOUSEHOLD LISTING (9 QUESTIONS)

SECTION 2. HOUSEHOLD CHARACTERISTICS (29 QUESTIONS, 11 ON MALARIA)

#### **QUESTIONS IN THE HOUSEHOLD QUESTIONNAIRE**

The eleven questions on malaria to be included in the household questionnaire are listed below:

NO.	QUESTIONS AND FILTERS	CODING CATEGORIES	SKIP
114	Does any member of this household ow n any agricultural land?		
115	How many hectares of agricultural land do members of this household ow n? IF 95 OR MORE, CIRCLE '950'.		
116	Does this household ow n any livestock, herds, other farm animals, or poultry?		
117	How many of the follow ing animals does this household ow n? Cattle? Milk cow s or bulls? Horses, donkeys, or mules? Goats? Sheep? Chickens?		
118	Does any member of this household have a bank account?		
119	At any time in the past 12 months, has anyone come into your dw elling to spray the interior walls against mosquitoes?	YES	121
120	Who sprayed the dw elling?	GOVERNMENT WORKER/PROGRAM       A         PRIVATE COMPANY       B         NONGOVERNMENTAL       C         ORGANIZATION (NGO)       C         OTHER       X         (SPECIFY)       Z	
121	Does your household have any mosquito nets that can be used w hile sleeping?	YES	→ 201
122	How many mosquito nets does your household have?	NUMBER OF NETS	

		NET #1	NET #2	NET #3
123	ASK THE RESPONDENT TO SHOW YOU ALL THE NETS IN THE HOUSEHOLD			
	IF MORE THAN 3 NETS, USE ADDITIONAL QUESTIONNAIRE(S).	OBSERVED 1 NOT OBSERVED 2	OBSERVED 1 NOT OBSERVED 2	OBSERVED 1 NOT OBSERVED 2
124	How many months ago did your household get the mosquito net?	MONTHS 1	MONTHS 1	MONTHS 1
	IF LESS THAN ONE MONTH AGO, RECORD '00'. IF 36 MONTHS OR LESS, RECORD MONTHS. IF MORE THAN 36 MONTHS, RECORD YEARS.	YEARS 2	YEARS 2	YEARS 2
125	OBSERVE OR ASK THE BRAND/ TYPE OF MOSQUITO NET. IF BRAND IS UNKNOWN AND YOU CANNOT OBSERVE THE NET, SHOW PICTURES OF TYPICAL NET TYPES/BRANDS TO RESPONDENT.	LONG-LASTING INSECTICIDE- TREATED NET (LLIN) BRAND A 11 BRAND B 12 - OTHER/ DK BRAND 16 - (SKIP TO 128) + OTHER BRAND 96 DK BRAND 998	LONG-LASTING INSECTICIDE- TREATED NET (LLIN) BRAND A 11 – BRAND B 12 – OTHER/ DK BRAND 16 – (SKIP TO 128) ← OTHER BRAND 96 DK BRAND 98	LONG-LASTING INSECTICIDE- TREATED NET (LLIN) BRAND A 11 BRAND B 12 - OTHER/ DK BRAND 16 - (SKIP TO 128) - OTHER BRAND 96 DK BRAND 98
126	Since you got the net, w as it ever soaked or dipped in a liquid to kill or repel mosquitoes?	YES	YES	YES
127	How many months ago was the net last soaked or dipped? IF LESS THAN ONE MONTH AGO, RECORD '00'.	MONTHS AGO MORE THAN 24 MONTHS AGC 95 NOT SURE 98	MONTHS AGO MORE THAN 24 MONTHS AGC 95 NOT SURE 98	MONTHS AGO MORE THAN 24 MONTHS AGO 95 NOT SURE 98
128	Did anyone sleep under this mosquito net last night?	YES 1 NO 2 (SKIP TO 130) ← NOT SURE 8	YES 1 NO 2 (SKIP TO 130) ← NOT SURE 8	YES
129	Who slept under this mosquito net last night?	NAME	NAME	NAME
	RECORD THE PERSON'S NAME	NAME	NA ME	NA ME
	AND LINE NUMBER FROM THE HOUSEHOLD SCHEDULE.	LINE	LINE	LINE NO
		NAME	NAME	NAME
		LINE NO	LINE NO	LINE
		NA.ME	NAME	NA.ME
		LINE	LINE NO	LINE
130		GO BACK TO 123 FOR NEXT NET; OR, IF NO MORE NETS, GO TO 201.	GO BACK TO 123 FOR NEXT NET; OR, IF NO MORE NETS, GO TO 201.	GO TO 123 IN FIRST COLUMN OF A NEW QUESTIONNA IRE; OR, IF NO MORE NETS, GO TO 201.

# QUESTIONS IN THE WOMAN QUESTIONNAIRE

Most of the non-malaria questions in the woman questionnaire are on reproduction and are required for most of the questions on malaria. As a result, the questionnaire proposed for the short version of the Malaria Module is exactly the same as the one proposed for the long version which includes the following sections with a total of 23 questions on malaria.

- SECTION 1A. COVER: IDENTIFICATION
- SECTION 1B. INTRODUCTION AND CONSENT
- SECTION 1C. RESPONDENT'S BACKGROUND (2 QUESTIONS ON MALARIA, OTHER: 8)
- SECTION 2A. REPRODUCTION: INTRODUCTION (10 QUESTIONS)
- SECTION 2B. REPRODUCTION: BIRTH HISTORY IN THE LAST 6 YEARS AND PREGNANCY STATUS (16 QUESTIONS)
- SECTION 3. LAST PREGNANCY: ANTENATAL CARE AND MALARIA (7 QUESTIONS ON MALARIA; OTHER: 4)
- SECTION 4. FEVER IN CHILDREN AND TREATMENT (25 QUESTIONS FOR EACH CHILD, 14 ON MALARIA)

#### INDICATORS

Fourteen of the 16 household survey indicators for assessing progress towards the GMAP targets will be available when the short Malaria Module is used:

- 1. Households with at Least One ITN (Insecticide-Treated Net)
- 2. Households with at Least One ITN for Every Two People (NEW)
- 3. Population with Access to an ITN within their Household (NEW)
- 4. Population that Slept under an ITN the Previous Night
- 5. Children under Five Years Old Who Slept under an ITN the Previous Night
- 6. Pregnant Women Who Slept under an ITN the Previous Night
- 7. Existing ITNs Used the Previous Night
- 8. Households with at Least one ITN and/or Sprayed by IRS in the
- 9. Households with at Least One ITN for Every Two People and/or Sprayed by IRS within the Last 12 Months (Universal Coverage of Vector Control)
- 10. Women Who Received Three or More Doses of Intermittent Preventive Treatment during ANC Visits during Their Last Pregnancy
- 11. Children under Five Years Old with Fever in Last Two Weeks Who Had a Finger or Heel Stick
- 12. Children under Five Years Old with Fever in the Last Two Weeks for Whom Advice or Treatment Was Sought
- 13. Percentage Receiving an ACT (or Other Appropriate Treatment), among Children under Five Years Old with Fever in the Last Two Weeks Who Received Any Antimalarial Drugs
- 16. All-Cause Under-Five Mortality Rate

Since anemia and malaria testing are not included, the following indicators will not be available from the short module:

- 14. Children Aged 6-59 Months with Malaria Infection (Parasite Prevalence)
- 15. Children Aged 6-59 Months with a Hemoglobin Measurement of <8 g/dL (Prevalence of Malaria-related Anemia)

### VI. RATIONALE

With minor changes in format, the questionnaire used by the Multiple Indicator Survey (MIS) program is the instrument proposed here for the long and short versions of the Malaria Module. However, the specific questions on malaria (shaded questions) can be included in any other kind of survey with the corresponding adjustments in the numbering and skips.

MIS was developed by the Monitoring and Evaluation Reference Group (MERG) of the Roll Back Malaria Partnership (RBM) and technical assistance in the implementation of MIS in specific countries is provided by the DHS Program and other organizations. MIS contains the same malaria questions found in the standard DHS, but is packaged in a shorter, stand-alone survey allowing for faster, less expensive monitoring of key internationally recognized malaria indicators. Standardized malaria indicators are currently available for nearly 30 countries.

In 2002, MERG was established to act as an advisory body for the RBM Partnership Board on all matters pertaining to monitoring and evaluation of RBM initiatives at the international, regional, and national levels. One focus of the MERG has been on assessing core indicators to ensure consistency and accuracy in national and regional reporting. The RBM MERG Survey and Indicator Guidance Task Force arranged for the development of a comprehensive package of tools for providing guidance in carrying out household level surveys relevant for assessing core malaria indicators. Specifically, the questionnaires were designed to assess the core household indicators outlined in RBM's Household Survey Indicators for Malaria Control revised in 2013. Nationally-representative, population-based sample surveys are a principal measurement tool required to collect the necessary data for constructing all 13 outcome indicators and three impact indicators. Three large survey efforts that currently collect data on these indicators are the DHS, the MICS, and the MIS.